



Appendix II - Bluetooth Manager


Bluetooth is wireless technology that lets electronic gadgets talk to each other via radio waves. A device “with Bluetooth” means it contains a small computer chip with a Bluetooth radio and some software that allows it to connect wirelessly to other devices.

The stock recorder can link to Bluetooth devices like weigh scales and tag readers. The **Bluetooth Manager** on the stock recorder finds the signal sent out by other devices and assigns each one a channel for communicating.


This is the process for initial linking of the Bluetooth components. Follow the steps for each piece of equipment and write down each corresponding BSP Channel.

To find an available Bluetooth channel:

1. Turn on the device you are trying to link to the stock recorder. Make sure it is close by.
2. On the stock recorder desktop find the computer icon. It may be called **My Device** or **My Computer**. Double click the icon to open it.
3. Open **Control Panel**.




4. Find the Bluetooth symbol. It may be an icon or it may be in a list of folders. Double-tap to open **Bluetooth Device Properties**.




Appendix II - Bluetooth Manager



- On the devices tab press **Scan**. Now the stock recorder tries to find all the Bluetooth devices in the area. This may take a few minutes - be patient!





- When scanning is complete the screen will show all the Bluetooth devices in the area, including mobile phones.
- Highlight the device you want and tap **Pair**. The Authentication screen opens. All Shearwell products use 1111 as the default PIN. Some manufacturers don't require a PIN at all so leave it blank. Type in the PIN if necessary and tap **Next**.







Appendix II - Bluetooth Manager

- The **Services** screen will open. Tap in the **Serial Port** tick box.
- The **Serial Profile** screen will open.
Leave Encryption disabled. Leave Mode as serial.



- Open the **Port** menu. On the list find the next available BSP after BSP 1.



- The Serial Profile screen opens again. Tap **Next**. On the Services screen tap **Done**. Repeat this process for all the Bluetooth devices.

